

# OPTIMALIZÁCIA PRIEMERNÝCH NAKLADOV (PRIJMOV)

PR1  $C(q) = 3q^2 + q + 48$

- 1)  $AC(q)$  MINIMÁLNE
- 2)  $AC(q) \stackrel{?}{=} MC(q)$
- 3) GRAFY  $AC(q), MC(q)$

1)  $AC(q) = \frac{C(q)}{q} = \frac{3q^2 + q + 48}{q}$   
 $AC'(q) = \frac{(6q+1) \cdot q - (3q^2 + q + 48) \cdot 1}{q^2} =$   
 $= \frac{6q^2 + q - 3q^2 - q - 48}{q^2} =$   
 $= \frac{3q^2 - 48}{q^2}$

$D(f) = \mathbb{R} - \{0\}$   
 $q > 0 \Rightarrow D(f) = \mathbb{R}^+ = (0, \infty)$

S.B.  $AC'(q) = 0$   
 $3q^2 - 48 = 0 \quad | \cdot \frac{1}{3}$  RESP.  $3(q^2 - 16) = 0$   
 $q^2 = 16$   $(q-4)(q+4) = 0$   
 $q = \pm 4$

$q > 0$   $q = 4$  STACIONÁRNY BOD

URČENIE EXTRÉMU V STACIONÁRNOH BODE

1. SPÔSOB:  $AC''(q) = \frac{6q \cdot q^2 - (3q^2 - 48) \cdot 2q}{q^4}$   
 $= \frac{q(6q^2 - 6q^2 + 96)}{q^4} = \frac{96}{q^3}$

$AC''(4) = \frac{96}{4^3} = \frac{96}{64} > 0 \Rightarrow$  LOKÁLNE MINIMUM V BODE  $q = 4$   
 $AC(4) = 25$

II. SPÔSOB  $AC'(q) = \frac{3q^2 - 48}{q^2} = \frac{3(q^2 - 16)}{q^2} = \frac{3(q+4)(q-4)}{q^2}$



$AC(q)$ :  $\rightarrow -4 \downarrow 0 \rightarrow 4 \uparrow$   
 $\uparrow$  BOD LOKÁLNEHO MINIMA

FUNKCIA  $AC(q)$  NADOBÚDA V BODE  $q = 4$   
 LOKÁLNE MINIMUM  $AC(4) = 25$

2)  $AC(q) \stackrel{x}{=} MC(q)$

$\frac{C(q)}{q} = C'(q)$


$AC(q) = \frac{3q^2 + q + 48}{q} = 6q + 1 = MC(q)$

$3q^2 + q + 48 = 6q^2 + q$

$3q^2 = 48$

$q^2 = 16$

$q = \pm 4$



$$3q^2 = 48$$

$$q^2 = 16$$

$$q = \pm 4$$

$$q > 0 \quad q = 4$$

$$0 \mid \begin{array}{l} MC(q) > AC(q) \\ MC(q) > AC(q) \end{array} \mid q$$

$$q > 0$$

PR2  $R(q) = -2q^2 + 68q - 128$

- 1)  $AR(q) \stackrel{?}{=} MR(q)$
- 2) MONOTONNOST  $AR(q)$
- 3) GRAFY  $AR(q), MR(q)$

$$AR(q) = \frac{R(q)}{q} = \frac{-2q^2 + 68q - 128}{q}$$

$$D(f) = (0, \infty)$$

$$MR(q) = R'(q) = -4q + 68$$

$$AR(q) = MR(q)$$

$$\frac{-2q^2 + 68q - 128}{q} = -4q + 68 \quad | \cdot q$$

$$-2q^2 + 68q - 128 = -4q^2 + 68q \quad | +4q^2$$

$$2q^2 - 128 = 0 \quad | : 2$$

$$q^2 = 64$$

$$q = \pm 8$$

$$q > 0$$

$$q = 8$$

$$q^2 - 64 = 0$$

$$(q-8)(q+8) = 0$$

$$2) AR(q) = \frac{-2q^2 + 68q - 128}{q}$$

$$AR'(q) = \frac{(-4q + 68)q - (-2q^2 + 68q - 128) \cdot 1}{q^2} =$$

$$= \frac{-4q^2 + 68q + 2q^2 - 68q + 128}{q^2} =$$

$$= \frac{-2q^2 + 128}{q^2} = \frac{-2(q^2 - 64)}{q^2} = \frac{-2(q+8)(q-8)}{q^2}$$

S.B.  $AR'(q) = 0$

$$-2q^2 + 128 = 0$$

$$q^2 = 64$$

$$q = \pm 8$$

$$q > 0$$

$$q = 8$$

$$0 < q < 8 \quad AR(q) < MR(q)$$


$$8 < q < \infty \quad AR(q) > MR(q)$$


$$q = 8 \quad AR(q) = MR(q)$$

MAXIMÁLNE PRIEHERNÉ  
PDI. IMY



BOD LOKÁLNEHO MAXIMA





## OPTIMALIZÁCIA CELKOVÝCH VELIČÍN

PR1  $C(x) = 15x + 1696$

$R(x) = 100x - 0,01x^2 = x(100 - 0,01x)$

$100 - 0,01x = 0$   
 $x = \frac{100}{0,01} = 10000$

- 1) GRAFY
- 2) ZISKOVÁ VÝROBA
- 3) MAXIMÁLNY ZISK

1)  $C(x) = R(x) \quad R(x) - C(x) = 0$


$15x + 1696 = 100x - 0,01x^2$

$0,01x^2 - 85x + 1696 = 0 \quad | \cdot 100$

$x^2 - 8500x + 169600 = 0$

$(x - 20)(x - 8480) = 0 \quad D = b^2 - 4ac$

$x_1 = 20 \quad x_2 = 8480$



$D(R) = \langle 0, 10000 \rangle$

2)  $R(x) > C(x)$   
 $x \in (20, 8480)$  VÝROBA ZISKOVÁ

$x \in \langle 20, 8480 \rangle$  NA TOMTO INTERVALE HLÁDAME ABSOLÚTNE MAXIMUM

$\langle a, b \rangle = \langle 20, 8480 \rangle$

3)  $P(x) = R(x) - C(x) =$   
 $= 100x - 0,01x^2 - (15x + 1696)$   
 $= 100x - 0,01x^2 - 15x - 1696$   
 $= -0,01x^2 + 85x - 1696$

$P'(x) = -0,02x + 85$

S.B.  $P'(x) = 0$

$-0,02x + 85 = 0$

$0,02x = 85 \quad | \cdot \frac{100}{2}$

$x = 4250 \in \langle 20, 8480 \rangle$

$P''(x) = -0,02$

$P''(4250) = -0,02 < 0$  LOKÁLNE MAXIMUM V  $x = 4250$

$P(4250) = 178929$

$\max_{x \in \langle a, b \rangle} f(x) = \{f(x_1), f(x_2), \dots, f(x_n), f(a), f(b)\}$

$$P(4250) = 178\,929$$

GLOBALNE MAXIMUM NA  $\langle a, b \rangle = \langle 20, 8480 \rangle$

$$\begin{aligned} \max_{\langle 20, 8480 \rangle} P(x) &= \max \{ P(4250), P(20), P(8480) \} = \\ &= \max \{ 178\,929, 0, 0 \} = 178\,929 \end{aligned}$$

PR3:  $K = 360$

$$V(q) = (0,2q + 10) \cdot q$$

$$p = 50 - 0,2q$$

ÚROVEŇ PRODUKČIE, PRI KTOREJ FIRMA DOSA HNE MAXIMÁLNY ZISK 178 929, JE 4250 KUSOV.

1)  $R(q) > C(q)$

2)  $R(q)$  MAXIMÁLNE

3)  $P(q)$  MAXIMÁLNE

1)  $C(q) = V(q) + K = (0,2q + 10)q + 360 = 0,2q^2 + 10q + 360$

$R(q) = p \cdot q = (50 - 0,2q)q = 50q - 0,2q^2$

$R(q) > C(q)$

$$50q - 0,2q^2 > 0,2q^2 + 10q + 360$$

$$0 > 0,4q^2 - 40q + 360 \quad | \cdot \frac{10}{4}$$

$$q^2 - 100q + 900 < 0$$

$$(q - 10)(q - 90) < 0 \quad \checkmark$$

zisťová  $q \in (10, 90)$

2)  $R(q) = 50q - 0,2q^2$

$R'(q) = 50 - 0,4q$

s.B.  $R'(q) = 0$

$$50 - 0,4q = 0$$

$$0,4q = 50 \quad | \cdot \frac{10}{4} \quad (: 0,4)$$

$$q = 125 \notin (10, 90) \quad (\text{NIE JE ZISKOVÁ})$$

$R''(q) = -0,4 < 0$  LOKÁLNE MAXIMUM V BODE  $q = 125$

PRÍJMY SÚ MAXIMÁLNE PRE  $q = 125$  KUSOV  
 $R(125) = 3125$

3)  $P(q) = R(q) - C(q) = -0,4q^2 + 40q - 360$

$P'(q) = -0,8q + 40$

s.B.  $P'(q) = 0$

$$-0,8q + 40 = 0$$

$$0,8q = 40 \quad | \cdot \frac{10}{8}$$

$$q = 50 \in (10, 90)$$

$$P''(q) = -0.8 < 0 \text{ LOKÁLNE MAXIMUM}$$

ZISK JE MAXIMÁLNY PRI POČTE  $q = 50$  KS  $P(50) = 640$   
(LOKÁLNY A GLOBÁLNY EXTREM NA  $\langle 10, 90 \rangle$ )

PR4 STARÉ

R:  $n = 6$   
 $q = 3000$

NOVÉ

$$n = 6 + x \cdot 1$$

$$q = 3000 - x \cdot 1000$$

$$R(x) = p \cdot q = (6+x)(3000-1000x)$$

$$C(x) = p \cdot q = 4(3000-1000x)$$

C:  $n = 4$   
 $q = 3000$

$$n = 4$$

$$q = 3000 - 1000x$$

P:  $n = 6+x - 4 = 2+x$   
 $q = 3000 - 1000x$

$x \dots$  POČET ZVÝŠENÍ CENY O 1\$

$$P(x) = R(x) - C(x)$$

$$= (2+x)(3000-1000x)$$

$P(x)$  MAXIMÁLNE

$$R(x) = p \cdot q = (6+x)(3000-1000x)$$

$$C(x) = 4(3000-1000x)$$

$$P(x) = R(x) - C(x) =$$

$$= (6+x)(3000-1000x) - 4(3000-1000x) =$$

$$= (6+x-4)(3000-1000x) = (2+x)(3000-1000x) =$$

$$= 1000(2+x)(3-x)$$

$$P'(x) = 1000 [1 \cdot (3-x) + (2+x) \cdot (-1)] =$$

$$= 1000(3-x-2-x) = 1000(1-2x)$$

S.B.  $P'(x) = 0$

$$1000(1-2x) = 0$$

$$1-2x = 0$$

$$x = \frac{1}{2}$$

$$P''(x) = 1000 \cdot (-2) = -2000 < 0 \text{ LOKÁLNE MAXIMUM}$$

$$n = 6 + x = 6 + \frac{1}{2} = 6.5 \$$$

PRI CENE  $n = 6.5 \$$  ZA KUS DOSIAHNE MAXIMÁLNY ZISK  
 $P(6.5) = 6250$

PR5

STARÉ

NOVÉ

U:  $q = 60$

$$q = 60 + x$$

$$n = 400$$

$$n = 400 - 4x$$

↑ ÚRODIA 1 STROMU

$x \dots$  POČET DODATOČNE ZASADENÝCH STROMOV

(1) MAXIMÁLNA

X... POČET DODATOČNE ZASADENÝCH STROMŮ ...

U MAXIMÁLNÁ

$$U(x) = p \cdot q = (60+x)(400-4x)$$

$$U'(x) = 1 \cdot (400-4x) + (60+x) \cdot (-4) = \\ = 400-4x-240-4x = \\ = 160-8x$$

S.B.  $U'(x) = 0$

$$160-8x = 0$$

$$8x = 160$$

$$x = 20$$

$$U''(x) = -8 < 0 \text{ LOKÁLNĚ MAXIMUM}$$

ÚRODA JE MAXIMÁLNÁ, AK DODATOČNE ZASADÍ 20 STROMOV  $U(20) = 25\ 600$

PR 2

$$C(q) = 5q$$

$$p = 25-2q \text{ (PREDAJNÁ CENA)}$$

- 1)  $P(q)$  MAXIMÁLNY
- 2)  $P(q)$  S DANŤOU  $t$  DOLÁROV ZA KUS
- 3)  $q_0$ :  $P(q_0)$  JE MAXIMÁLNE  
MAXIMALIZOVAT VÝBER DANE

$$1) R(q) = p \cdot q = (25-2q) \cdot q = 25q - 2q^2$$

$$C(q) = 5q$$

$$P(q) = R(q) - C(q) = 25q - 2q^2 - 5q = 20q - 2q^2$$

$$20q - 2q^2 > 0$$

$$10q - q^2 > 0$$

$$q(10-q) > 0$$



$(0,10)$  ZISKOVÁ

$$P'(q) = 20 - 4q$$

S.B.  $P'(q) = 0$

$$20 - 4q = 0 \\ q = 5 \in (0,10)$$

$$P''(q) = -4 < 0 \text{ LOKÁLNĚ MAXIMUM}$$

ZISK SPOLOČNOSTI JE MAXIMÁLNY

PRI POČTE  $q = 5$  KUSOV

$$P(5) = 50$$

2)  $f(t) = t \cdot q$  (DANĽ)

$$P(q) = 20q - 2q^2 - t \cdot q$$

$$P'(q) = 20 - 4q - t \text{ PARAMETER}$$

S.B.  $P'(q) = 0$

$$\text{S.B. } p(q) = 0$$

$$20 - 4q - t = 0$$

$$4q = 20 - t$$
$$q = 5 - \frac{t}{4} \geq 0$$

$$t \leq 20$$

$$p''(t) = -4 < 0 \quad \text{LOKÁLNĚ MAXIMUM}$$

PRI OBJEME PRODUKCIE  $q = 5 - \frac{t}{4}$  KUSOV JE ZISK SPOLOČNOSTI MAXIMÁLNY, AK JE KAŽDÝ KUS ZDANENÝ SUMOU  $t$  DOLAROV.

3)

$$f(t) = t \cdot q = t \left(5 - \frac{t}{4}\right) = 5t - \frac{1}{4}t^2$$

$$f'(t) = 5 - \frac{1}{4} \cdot 2t = 5 - \frac{1}{2}t$$

$$\text{S.B. } f'(t) = 0$$

$$5 - \frac{1}{2}t = 0$$

$$\frac{1}{2}t = 5$$

$$t = 10 \leq 20$$

$$f''(t) = -\frac{1}{2} < 0 \quad \text{LOKÁLNĚ MAXIMUM}$$

PRÍJEM Z DANE JE MAXIMÁLNY PRI DANI 10 \$ ZA KUS

$$f(10) = 25$$